

2501 Ludelle Street Fort Worth, Texas 76105 817-244-6212 Phone • 817-244-4024 Fax 888-350-6588 Sales • 800-423-9696 Tech E-mail: painless@painlessperformance.com Web: www.painlessperformance.com

30201


"HOT SHOT PLUS" RELAY INSTALLATION INSTRUCTIONS

- 1. DISCONNECT NEGATIVE BATTERY CABLE.
- 2. LOCATE AND MOUNT THE "HOT SHOT PLUS" RELAY UNIT IN AN AREA CONVENIENT TO REACH (ON THE FIREWALL, INNER FENDER PANEL OR THE FRAME) AS CLOSE AS POSSIBLE TO THE STARTER BUT AWAY FROM THE EXHAUST SYSTEM. ATTACH THE SMALL BLACK WIRE WITH ONE OF THE BRACKET MOUNTING SCREWS MAKING SURE THIS WIRE IS WELL GROUNDED.
- 3. MOUNT THE CIRCUIT BREAKER IN A CONVENIENT LOCATION BETWEEN THE "HOT SHOT PLUS" UNIT AND THE STARTER SOLENOID.
- 4. DISCONNECT STARTER ACTIVATION WIRE (ON "S" TERMINAL) FROM THE STARTER SOLENOID.
- 5. NEATLY ROUTE THE HEAVY GAUGE PURPLE WIRE TO THE STARTER SOLENOID. AFTER CUTTING IT TO LENGTH ATTACH IT TO THE SAME TERMINAL THAT YOU REMOVED THE WIRE FROM IN STEP 4. USE A SMALL RING TERMINAL FOR THIS.
- 6. NEATLY ROUTE THE HEAVY GAUGE RED WIRE TO ONE SIDE OF THE CIRCUIT BREAKER INSTALLED IN STEP 3. CUT TO LENGTH AND INSTALL USING A SMALL YELLOW RING TERMINAL. WITH ANOTHER SMALL YELLOW RING TERMINAL TAKE THE REMAINING RED WIRE AND CONNECT THE UNUSED POST ON THE CIRCUIT BREAKER TO THE LARGE TERMINAL ON THE STARTER SOLENOID (THE ONE THAT ALSO HAS THE BATTERY CABLE CONNECTED TO IT.) USE A LARGE YELLOW RING TERMINAL FOR THIS.

30201.doc 5/21/01

- 7. SPLICE THE SMALL WIRE REMOVED IN STEP 4 TO THE SMALL PURPLE WIRE COMING FROM THE "HOT SHOT PLUS" UNIT USING THE BLUE BUTT TERMINAL. YOU CAN ALSO RUN THE SMALL PURPLE WIRE DIRECTLY TO THE IGNITION SWITCH (START TERMINAL) OR, IN SOME CASES, TO THE START BUTTON.
- 8. RECONNECT THE BATTERY AND START ENGINE.

CAUTION: PRESSING THE BUTTON SWITCH ON THE "HOT SHOT PLUS" UNIT WILL ONLY START THE ENGINE IF THE IGNITION SWITCH IS IN THE "ON" POSITION BUT WILL ACTIVATE THE STARTER AT ANY TIME!



Painless Performance Limited Warranty and Return Policy

Chassis harnesses and fuel injection harnesses are covered under a lifetime warranty. All other products manufactured and/or sold by Painless Performance are warranted to the original purchaser to be free from defects in material and workmanship under normal use. Painless Performance will repair or replace defective products without charge during the first 12 months from the purchase date. No products will be considered for warranty without a copy of the purchase receipt showing the sellers name, address and date of purchase. You must return the product to the dealer you purchased it from to initiate warranty procedures.

Copyright © 2007 by Perfect Performance Products, LLC